

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31 and 2020/878/EC

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: K2 VENTO IMPRESSIVE MOONLIGHT · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Air freshener · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Melle Sp. z o. o. Stary Staw 9 63-400 OSTRÓW WLKP. POLAND · Further information obtainable from: Product safety department. zakupy@inter-global.com.pl • 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS09 environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS09 GHS07 · Signal word Warning · Hazard-determining components of labelling: benzyl salicylate Linalool 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl) ethan-1-one3,7-Dimethyl-1,6-octadien-3-ol acetate (Contd. on page 2) IE

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

	(Contd. of page 1)	
· Hazard sta	tements	
H315 Caus	ses skin irritation.	
H319 Caus	ses serious eye irritation.	
	cause an allergic skin reaction.	
	c to aquatic life with long lasting effects.	
	nary statements	
P102	<i>Keep out of reach of children.</i>	
P264		
P273	Avoid release to the environment.	
P302+P35	<i>2 IF ON SKIN: Wash with plenty of water.</i>	
	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	•
P501	present and easy to do. Continue rinsing. Dispose of contents/container to a waste container.	
• 2.3 Other 1	1 0	
	PBT and vPvB assessment	
· PBT: Not a		
• vPvB: Not	**	
• Determina	tion of endocrine-disrupting properties	
118-58-1	benzyl salicylate List II	
1222-05-5	Abbalide List II	
128-37-0	Butylated hydroxytoluene List II	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

CAS: 34590-94-8	Dipropylene glycol monomethyl ether	<30%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
CAS: 118-58-1 EINECS: 204-262-9	benzyl salicylate	<10%
CAS: 78-70-6	Aquatic Chronic 2, H411; () Skin Sens. 1B, H317 Linalool	<6%
EINECS: 201-134-4		
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)ethan-1-one	<4%
CAS: 115-95-7 EINECS: 204-116-4	3,7-Dimethyl-1,6-octadien-3-ol acetate	<4%
CAS: 18479-58-8 EINECS: 242-362-4	2,6-dimethyloct-7-en-2-ol	<3%
CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	<3%
CAS: 31906-04-4 EINECS: 250-863-4	4-(4-hydroxy-4-methylpentyl)cyklohex-3-enecarbaldehyde	<2%
CAS: 107-75-5 EINECS: 203-518-7	Hydroxycitronellal	<2%

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

	(Contd.)	of page 2)	
CAS: 106-24-1 g	zeraniol	<1%	
EINECS: 203-377-1	😯 Skin Sens. 1, H317		
CAS: 142-19-8 a	allyl heptanoate	<1%	
EINECS: 205-527-1	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; () Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319		
CAS: 101-86-0 a	x-hexylcinnamaldehyde	<1%	
EINECS: 202-983-3	😵 Aquatic Chronic 2, H411; 🚸 Skin Sens. 1, H317		
CAS: 1222-05-5 A	4bbalide	<1%	
EINECS: 214-946-9	Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
CAS: 128-37-0 B	Butylated hydroxytoluene	<1%	
EINECS: 204-881-4	😵 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Acute Tox. 4, H302		
CAS: 68155-67-9 1	1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	<1%	
EINECS: 268-979-9	🚯 Aquatic Chronic 1, H410; 🚯 Skin Irrit. 2, H315; Skin Sens. 1, H317		
CAS: 68155-66-8 1	1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	<1%	
	😵 Aquatic Chronic 1, H410; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317		
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Take affected persons out into the fresh air. Personal protection for the First Aider.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

IE

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

(Contd. of page 3)

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

OEL Long-term value: 308 mg/m³, 50 ppm Sk, IOELV

128-37-0 Butylated hydroxytoluene

OEL Long-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

IE

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	nonerties		
· General Information	порстись		
· Physical state	Fluid		
· Colour:	According to product specification		
· Odour:	<i>Characteristic</i>		
• Odour threshold:	Not determined.		
• Melting point/freezing point:	Undetermined.		
• Boiling point or initial boiling point and boiling	Ondelermined.		
range	Undetermined.		
· Flammability	Not applicable.		
· Lower and upper explosion limit	Noi upplicable.		
· Lower:	Not determined.		
· Upper:	Not determined.		
11	Not applicable.		
· Flash point:	Not determined.		
• Decomposition temperature:	Not determined.		
· pH Vincesitu	Noi delerminea.		
Viscosity:	N-4 d-4-min - d		
Kinematic viscosity	Not determined.		
Dynamic:	Not determined.		
Solubility	G 1 1 1		
water:	Soluble.		
• Partition coefficient n-octanol/water (log value)	Not determined.		
· Vapour pressure:	Not determined.		
• Density and/or relative density			
· Density:	Not determined.		
· Relative density	Not determined.		
· Vapour density	Not determined.		
· 9.2 Other information			
· Appearance:			
· Form:	Fluid		
· Important information on protection of health an	d		
environment, and on safety.	-		
· Ignition temperature:	Product is not selfigniting.		
• Explosive properties:	Product does not present an explosion hazard.		
· Change in condition			
· Evaporation rate	Not determined.		
	(Contd. on page 6)		

IE

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

		(Contd. of page
· Information with regard to physical hazard o	classes	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

34590-94-8 Dipropylene glycol monomethyl ether

Oral LD50 5,135 mg/kg (rat)

Dermal LD50 >19,000 mg/kg (rab)

78-70-6 Linalool

Oral LD50 2,790 mg/kg (rat)

Dermal LD50 5,610 mg/kg (rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4,400 mg/kg (rat)

142-19-8 allyl heptanoate

Oral LD50 500 mg/kg (ATE)

Dermal LD50 1,100 mg/kg (ATE)

(Contd. on page 7)

IE

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

(Contd. of page 6)

List II

List II

List II

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

128-37-0 Butylated hydroxytoluene

Oral LD50 890 mg/kg (rat)

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- *STOT-single exposure* Based on available data, the classification criteria are not met.
- *STOT-repeated exposure Based on available data, the classification criteria are not met.*
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

118-58-1 benzyl salicylate

1222-05-5 Abbalide

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31 and 2020/878/EC

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

(Contd. of page 7)

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

SECTION 14: Transport information • 14.1 UN number or ID number · ADR, IMDG, IATA UN3082 · 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS · ADR SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, benzyl salicylate) ·IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, benzyl salicylate), MARINE POLLUTANT $\cdot IATA$ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, benzyl salicylate) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group · ADR, IMDĞ, IATA III · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) • Special marking (ADR): • Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Hazard identification number (Kemler code): 90 F-A, S-F· EMS Number: · Stowage Category A • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR 5L· Limited quantities (LQ) Code: E1 • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 • Tunnel restriction code (-) · IMDG · Limited quantities (LQ) 5L(Contd. on page 9)

Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31 and 2020/878/EC

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, BENZYL SALICYLATE), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 12.01.2024

Version number 1

Revision: 12.01.2024

Trade name: K2 VENTO IMPRESSIVE MOONLIGHT

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. • Date of previous version: 12.01.2024 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Skin Sens. 1B: Skin sensitisation - Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3