


Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1



Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

(Contd. of page 1) 3-Methylcyclopentadecenone · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P102 Keep out of reach of children. P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container to a waste container. · 2.3 Other hazards · Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

Dangerous components:		
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-XXXX	<i>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)</i> <i>ethan-1-one</i>	<10%
CAS: 106-02-5 EINECS: 203-354-6	omega-Pentadecalactone	<5%
CAS: 103-95-7 EINECS: 203-161-7	cyclamen aldehyde Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
CAS: 4940-11-8 EINECS: 225-582-5	Ethyl maltol	<5%
CAS: 82356-51-2 ELINCS: 429-900-5	3-Methylcyclopentadecenone ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1, H317	<5%
CAS: 121-32-4 EINECS: 204-464-7 Reg.nr.: 01-2119958961-24-XXXX	3-ethoxy-4-hydroxybenzaldehyde	<2%
CAS: 63500-71-0 ELINCS: 405-040-6	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	<2%
CAS: 10339-55-6 EINECS: 233-732-6	3,7-Dimethyl-1,6-nonadien-3-ol	<2%
CAS: 105-87-3 EINECS: 203-341-5 Reg.nr.: 01-2119973480-35-XXXX	geranyl acetate Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<2%

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

		of page
CAS: 150-84-5	Citronellyl acetate	<2%
EINECS: 205-775-0	🕸 Aquatic Chronic 2, H411; 🚸 Skin Irrit. 2, H315	
CAS: 121-33-5	vanillin	<2%
EINECS: 204-465-2	() Eye Irrit. 2, H319	
Reg.nr.: 01-2119516040-60-XXXX		
CAS: 88-41-5	2-tert-butylcyclohexyl acetate	<2%
EINECS: 201-828-7	Aquatic Chronic 2, H411	
CAS: 1205-17-0	alpha-methyl-1,3-benzodioxole-5-propionaldehyde	<1%
EINECS: 214-881-6	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	-170
CAS: 84929-31-7	lemon,ext.	<1%
EINECS: 284-515-8		~170
Reg.nr.: 01-2119495512-35-XXXX	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin	
Reg.m.: 01-211)+)5512-55-AAAA	Sens. 1, H317	
CAS: 107-75-5		<1%
EINECS: 203-518-7	Hydroxycitronellal	<1%
Reg.nr.: 01-2119973482-31-XXXX	() Eye Irrit. 2, H319; Skin Sens. 1, H317	
8		
CAS: 91-64-5	Coumarin	< 0.5%
EINECS: 202-086-7	STOT RE 2, H373; 🚯 Acute Tox. 4, H302; Skin Sens. 1,	
Reg.nr.: 01-2119949300-45-XXXX		
CAS: 97-53-0	Eugenol	< 0.59
EINECS: 202-589-1	🚸 Acute Tox. 4, H302; Skin Sens. 1, H317	
Reg.nr.: 01-2119971802-33-XXXX		
CAS: 115-95-7	linalyl acetate	< 0.5%
EINECS: 204-116-4	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Reg.nr.: 01-2119454789-19-XXXX		
CAS: 120-57-0	piperonal	< 0.59
EINECS: 204-409-7	() Skin Sens. 1B, H317	/
Reg.nr.: 01-2119983608-21-XXXX	V Shirt Schol 12, 11017	
CAS: 83863-30-3	Ylang ylang oil	< 0.5
EINECS: 281-092-1	Skin Irrit. 2, H361; Asp. Tox. 1, H304; 🔶 Skin Irrit. 2, H315;	-0.57
Lintlet, 201 072-1	Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3,	
	H412	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information:
- Take affected persons out into the fresh air.

Personal protection for the First Aider.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4) GB

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

(Contd. of page 3)

Trade name: K2 EVOS UNICORN

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

GB

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

(Contd. of page 4)

• 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve/face protection Goggles recommended during refilling

SECTION 9: Ph	vsical and	chemical	properties

General Information Physical state	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and	l boiling	
range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	

(Contd. on page 6)

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

	(Contd. of page
Solubility	
water:	Soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid on inert carrier material
Important information on protection of health an	nd -
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

GB

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

(Contd. of page 6)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- · LD/LC50 values relevant for classification:
- ATE (Acute Toxicity Estimates)
- Oral LD50 20,000 mg/kg
- 4940-11-8 Ethyl maltol
- Oral LD50 500 mg/kg (ATE)
- 121-32-4 3-ethoxy-4-hydroxybenzaldehyde
- Oral LD50 1,590 mg/kg (rat)
- 121-33-5 vanillin
- Oral LD50 1,580 mg/kg (rat)
- 91-64-5 Coumarin
- Oral LD50 293 mg/kg (rat)
- 97-53-0 Eugenol
- *Oral LD50 1,930 mg/kg (rat)*
- 120-57-0 piperonal
- Oral LD50 2,700 mg/kg (rat)
- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- *Respiratory or skin sensitisation* May cause an allergic skin reaction.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)

GB

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

(Contd. of page 7)

Trade name: K2 EVOS UNICORN

Toxic for aquatic organisms

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- octahydro-2,3,8,8-tetrametyl-2-naphthyl)ethan-1-one
IMDG	omega-Pentadecalactone) ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8 tetrametyl-2-naphthyl)ethan-1-one, omega
IATA	Pentadecalactone), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8- tetrametyl-2-naphthyl)ethan-1-one, omega- Pentadecalactone)
-	
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles. 9
ADR, IMDG, IATA	
ADR, IMDG, IATA	9
14.3 Transport hazard class(es) ADR, IMDG, IATA Image: ADR, IMDG, IATA Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): 14.6 Special precautions for user	9 III Symbol (fish and tree) Symbol (fish and tree)

GB

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

	(Contd. of page
Stowage Category	A
14.7 Maritime transport in bulk accord	ling to IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
- IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8
	OCTAHYDRO-2,3,8,8-TETRAMETYL-2-NAPHTHY
	ETHAN-1-ONE, OMEGA-PENTADECALACTONE),
	III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 28.12.2021

Version number 1

Revision: 28.12.2021

Trade name: K2 EVOS UNICORN

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered. The section that were changed since the last version are marked with an asterisk on the left section number