

Page 1/11


GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022



Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

(Contd. of page 1)

GB

 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)ethan-1-one benzyl salicylate Linalool a-hexylcinnamaldehyde Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P302+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 		ining components of labelling:
Lindool a-hexylcinnamaldehyde Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
a-hexylcinnamaldehyde Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		e
 Hazard statements Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		11.1 1
 H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	•	
 H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		
• Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		
P102Keep out of reach of children.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P273Avoid release to the environment.P302+P352IF ON SKIN: Wash with plenty of water.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to a waste container.• 2.3 Other hazards• Results of PBT and vPvB assessment• PBT: Not applicable.	H411 Toxic to a	iquatic life with long lasting effects.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	• Precautionary s	statements
smoking. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P102	Keep out of reach of children.
 P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P210	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P273	Avoid release to the environment.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P302+P352	IF ON SKIN: Wash with plenty of water.
P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to a waste container.• 2.3 Other hazards• Results of PBT and vPvB assessment• PBT: Not applicable.		338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
 <i>P501</i> Dispose of contents/container to a waste container. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P403+P235	
• 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P501	
• PBT: Not applicable.	· 2.3 Other hazar	
• PBT: Not applicable.	· Results of PBT	and vPvB assessment

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

[·] Dangerous components:

CAS: 54464-57-21-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)EINECS: 259-174-3ethan-1-one	<30%
Reg.nr.: 01-2119489989-04-XXXX (Aquatic Chronic 1, H410; () Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 118-58-1 benzyl salicylate EINECS: 204-262-9 Aquatic Chronic 2, H411; O Eye Irrit. 2, H319; Skin Sens. Reg.nr.: 01-2119969442-31-XXXX I, H317	<18%
CAS: 88-41-52-tert-butylcyclohexyl acetateEINECS: 201-828-7Image: Aquatic Chronic 2, H411	<16%
CAS: 64-17-5 ethanol EINECS: 200-578-6 Image: Constant of the second secon	<10%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-XXXX Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<10%
CAS: 101-86-0 a-hexylcinnamaldehyde EINECS: 202-983-3	<8%

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

CAS: 8028-48-6	(Contd.	<60
EINECS: 232-433-8 Reg.nr.: 01-2119493353-35-XXXX	🛞 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚯 Aquatic	
CAS: 140-11-4 EINECS: 205-399-7 Reg.nr.: 01-2119638272-42-XXXX	benzyl acetate Aquatic Chronic 3, H412	<5%
CAS: 151-05-3 EINECS: 205-781-3	1,1-Dimethyl-2-phenylethyl acetate Aquatic Chronic 3, H412	<5%
CAS: 121-32-4 EINECS: 204-464-7 Reg.nr.: 01-2119958961-24-XXXX	3-ethoxy-4-hydroxybenzaldehyde	<3%
CAS: 4940-11-8 EINECS: 225-582-5	Ethyl maltol	<3%
CAS: 91-64-5 EINECS: 202-086-7 Reg.nr.: 01-2119949300-45-XXXX	Coumarin STOT RE 2, H373; () Acute Tox. 4, H302; Skin Sens. 1, H317	<19
CAS: 97-53-0 EINECS: 202-589-1 Reg.nr.: 01-2119971802-33-XXXX	Eugenol () Acute Tox. 4, H302; Skin Sens. 1, H317	<19
CAS: 68039-49-6 EINECS: 268-264-1	2,4-dimetylcykloheks-3-en-1-karbaldehyd Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<19
CAS: 24720-09-0 EINECS: 246-430-4	(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	<19
CAS: 57378-68-4 EINECS: 260-709-8	delta-Damascone Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- *Take affected persons out into the fresh air. Personal protection for the First Aider.*
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- *After eye contact: Rinse opened eye for several minutes under running water.*
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

(Contd. of page 3)

Trade name: K2 EVOS SAMURAI

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

•	8.1	Control	parameters
---	-----	---------	------------

· Ingredien	ts with limit values that require monitorin	ng at the workplace:
64-17-5 et	thanol	
WEL Lon	g-term value: 1920 mg/m³, 1000 ppm	
· DNELs		
64-17-5 et	thanol	
Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Dermal	consumer-long-term systemic effect	206 mg/kg m.c (consumers)
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)
		(Contd. on page 5)

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

		(Contd. of pag
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhalative	e consumer- long-term systemic effects	114 mg/m3 (consumers)
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)
· PNECs		
64-17-5 е	thanol	
Oral mic	roorganisms during wastewater treatment	580 mg/l (environment)
soil		0.63 mg/kg (environment)
sed	iment	3.6 mg/kg (environment)
mai	rine environment	0.79 mg/l (environment)
fres	hwater environment	0.96 mg/l (environment)
STE)	2.75 mg/l (environment)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

(Contd. of page 5)

Trade name: K2 EVOS SAMURAI

· Eye/face protection



*

Tightly sealed goggles

9.1 Information on basic physical and chemical p	properties
General Information	1
Physical state	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>23 °C
Decomposition temperature:	Not determined.
pH I I	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid on inert carrier material
Important information on protection of health an	nd la
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

		(Contd. of page 6
Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50 values	elevant for	classification:
------------------	-------------	-----------------

Oral	LD50	50,000 mg/kg	
64-17-5 e	thanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	e LC50/4 h	20,000 mg/l (rat)	
78-70-6 L	inalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	
140-11-4	benzyl acet	nte	
Oral	LD50	2,490 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
121-32-4	3-ethoxy-4-	hydroxybenzaldehyde	
Oral	LD50	1,590 mg/kg (rat)	
4940-11-8	8 Ethyl mal	tol	
Oral	LD50	500 mg/kg (ATE)	

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

	(Contd. of page)
Coumarin	
LD50	293 mg/kg (rat)
Eugenol	
LD50	1,930 mg/kg (rat)
9-0 (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one
LD50	500 mg/kg (ATE)
8-4 delta-D	Damascone
LD50	500 mg/kg (ATE)
rosion/irrit	tation Causes skin irritation.
eye damage	e/irritation Causes serious eye irritation.
ory or skin	sensitisation May cause an allergic skin reaction.
ormation o	on other hazards
ne disrupti	ng properties
	LD50 Eugenol LD50 9-0 (E)-1-(LD50 8-4 delta-L LD50 rosion/irri eye damag ory or skin prmation o

118-58-1 benzyl salicylate

List II

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is biodegradable. Degree of biodegradation> 70%
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 9)

Printing date 08.12.2022

Version number 1

Revision: 08.12.2022

Trade name: K2 EVOS SAMURAI

(Contd. of page 8)

14.1 UN number or ID number ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), orange, sweet, ex ENVIRONMENTALLY HAZARDOUS
·IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH ALCOHOL), orange, sweet, ext.), MARI POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL, oran sweet, ext.)
· 14.3 Transport hazard class(es)	
ADR, IMDG	
· Class	3 Flammable liquids.
· Label · IATA	3
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): 	Product contains environmentally hazardous substan 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramety naphthyl)ethan-1-one Symbol (fish and tree) Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
· 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 Printing date 08.12.2022
 Version number 1
 Revision: 08.12.2022

 Trade name: K2 EVOS SAMURAI
 Version number 1
 Revision: 08.12.2022

	(Contd. of page 9
· Transport category · Tunnel restriction code	3 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOI (ETHYL ALCOHOL), ORANGE, SWEET, EXT.), 3, III ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- *E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS*
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.

(Contd. on page 11)

⁻ GB

Printing date 08.12.2022 Version number 1 Revision: 08.12.2022 Trade name: K2 EVOS SAMURAI (Contd. of page 10) H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered. The section that were changed since the last version are marked with an asterisk on the left section number