


Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

	(Contd. of page 1)
Citral	
linalyl acetate	
· Hazard statem	ents
H225 Highly fl	ammable liquid and vapour.
H315 Causes s	kin irritation.
H319 Causes s	erious eye irritation.
H317 May caus	se an allergic skin reaction.
H411 Toxic to	aquatic life with long lasting effects.
· Precautionary	statements
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
5454	smoking.
P273	Avoid release to the environment.
	IF ON SKIN: Wash with plenty of water.
P305+P351+P	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P501	Dispose of contents/container to a waste container.
2.3 Other haza	rds
· Results of PBT	and vPvB assessment
· PBT: Not appli	icable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

CAS: 64-17-5	ethanol	<60%
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	♦ Flam. Liq. 2, H225; (1) Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
CAS: 8028-48-6 EINECS: 232-433-8 Reg.nr.: 01-2119493353-35-XXXX	orange, sweet, ext. Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-XXXX	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
CAS: 18479-58-8 EINECS: 242-362-4 Reg.nr.: 01-2119457274-37-XXXX	2,6-dimethyloct-7-en-2-ol Skin Irrit. 2, H315; Eye Irrit. 2, H319	<5%
CAS: 5392-40-5 EINECS: 226-394-6 Reg.nr.: 01-2119462829-23-XXXX	Citral 🚯 Skin Irrit. 2, H315; Skin Sens. 1, H317	<4%
CAS: 115-95-7 EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX	linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<2%
CAS: 105-87-3 EINECS: 203-341-5 Reg.nr.: 01-2119973480-35-XXXX	geranyl acetate Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<1%

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

CAS: 78-93-3		of page $\frac{1}{2}$
EINECS: 201-159-0	butanone	<1%
CAS: 68039-49-6 EINECS: 268-264-1	2,4-dimetylcykloheks-3-en-1-karbaldehyd Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<0.5%
CAS: 2705-87-5 EINECS: 220-292-5	allyl 3-cyclohexylpropionate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; () Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317	<0.5%
CAS: 92585-24-5 ELINCS: 402-770-7	2-metylo-4-fenylpentanol � Aquatic Chronic 2, H411; � Skin Sens. 1, H317	<0.5%
CAS: 8023-99-2 EINECS: 281-679-2	Pine scotch oil Flam. Liq. 3, H226; Sap. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-XXXX	Linalool 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<0.5%
CAS: 118-58-1 EINECS: 204-262-9 Reg.nr.: 01-2119969442-31-XXXX	benzyl salicylate 🚯 Aquatic Chronic 2, H411; 🚯 Skin Sens. 1, H317	<0.5%
CAS: 90028-68-5 EINECS: 289-861-3	Oak moss extract Skin Sens. 1, H317	<0.5%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Take affected persons out into the fresh air. Personal protection for the First Aider.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

(Contd. of page 3)

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

• 5.3 Advice for firefighters

• Protective equipment: No special measures required.

• Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm

Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

(Contd. on page 5)

GB -

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

DNELs		(Contd. of page
64-17-5 et	hanol	
Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Dermal	consumer-long-term systemic effect	206 mg/kg m.c (consumers)
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhalative	consumer- long-term systemic effects	114 mg/m3 (consumers)
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)
PNECs		<u> </u>
64-17-5 et	hanol	
Oral micr	oorganisms during wastewater treatment	580 mg/l (environment)
soil		0.63 mg/kg (environment)
sedin	nent	3.6 mg/kg (environment)
mari	ne environment	0.79 mg/l (environment)
fresh	water environment	0.96 mg/l (environment)
STP		2.75 mg/l (environment)
Ingredient	s with biological limit values:	I
78-93-3 bu	0	
8.2 Exposi Appropria	t information: The lists valid during the n ure controls te engineering controls No further data; protection measures, such as personal p	see item 7.
General p Keep away	Protective and hygienic measures: If from foodstuffs, beverages and feed. Iy remove all soiled and contaminated clo	
Wash hand Avoid cont	<i>Is before breaks and at the end of work.</i> <i>act with the skin.</i>	
Respirator In case of		ratory filter device. In case of intensive or longer exposi
	ntained respiratory protective device. le respiratory protective device in case oj ection	finsufficient ventilation.
M2	Protective gloves	
Due to mis	ssing tests no recommendation to the glo	tant to the product/ the substance/ the preparation. ve material can be given for the product/ the preparatio
the chemic Selection	of the glove material on consideration	on of the penetration times, rates of diffusion and

degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

(Contd. of page 5) resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical p	properties
· General Information	
· Physical state	Fluid
· Colour:	Yellowish
· Odour:	Characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
• Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
• Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Liquid
Important information on protection of health an	-
environment, and on safety.	
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Change in condition	1 1 1
· Evaporation rate	Not determined.
-	(Contd. on page 7)
	GE

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

		(Contd. of page	
Information with regard to physical hazard c	lasses		
Explosives	Void		
Flammable gases	Void		
Aerosols	Void		
Oxidising gases	Void		
Gases under pressure	Void		
Flammable liquids	1		
Flammable solids	Void		
Self-reactive substances and mixtures	Void		
Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
Substances and mixtures, which emit flamme	able		
gases in contact with water	Void		
Oxidising liquids	Void		
Oxidising solids	Void		
Organic peroxides	Void		
Corrosive to metals	Void		
Desensitised explosives	Void		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 et	hanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
5989-27-5	(R)-p-men	ntha-1,8-diene	
Oral	LD50	4,400 mg/kg (rat)	
5392-40-5	Citral		
Oral	LD50	4,960 mg/kg (rat)	
78-93-3 bi	itanone		
Oral	LD50	3,300 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rabbit)	
·		(Contd. on page 8)	

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

			(Contd. of page 7)
2705-87-5	allyl 3-cyc	lohexylpropionate	
Oral	LD50	500 mg/kg (ATE)	
Dermal	LD50	1,100 mg/kg (ATE)	
Inhalative	LC50/4 h	11 mg/l (ATE)	
78-70-6 Li	inalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	ul LD50 5,610 mg/kg (rabbit)		
· Serious ey	e damage/	tion Causes skin irritation. irritation Causes serious eye irritation.	
		ensitisation May cause an allergic skin reaction. other hazards	
· Endocrine	e disrupting	g properties	
78-93-3	butanone		List II
118-58-1	benzyl sali	cylate	List II

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 9)

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

(Contd. of page 8)

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

SECTION 14: Transport information • 14.1 UN number or ID number · ADR, IMDG, IATA UN1993 · 14.2 UN proper shipping name 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL $\cdot ADR$ (ETHYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS ·IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), orange, sweet, ext.), MARINE POLLUTANT ·IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL) · 14.3 Transport hazard class(es) · ADR, IMDG · Class *3 Flammable liquids.* · Label 3 ·IATA 3 Flammable liquids. · Class · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Product contains environmentally hazardous substances: orange, sweet, ext. Symbol (fish and tree) • Marine pollutant: · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 33 · EMS Number: F-E, S-E· Stowage Category В • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. • Transport/Additional information: ·ADR · Limited quantities (LQ) lL· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 D/E**Tunnel restriction code** (Contd. on page 10) GB

Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

(Contd. of maga 0)

Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME

	(Contd. of page
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO (ETHYL ALCOHOL)), 3, II, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- *E2* Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- *H400 Very toxic to aquatic life.*

(Contd. on page 11)

Printing date 29.06.2021 Version number 1 Revision: 29.06.2021 Trade name: ERLA HOME SATO HOME PERFUME SUMMER TIME (Contd. of page 10) Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered. The section that were changed since the last version are marked with an asterisk on the left section number