

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 1 Revision: 29.06.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Reed diffuser · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Melle Sp. z o. o. Stary Staw 9 63-400 OSTRÓW WLKP. POLAND • Further information obtainable from: Product safety department. zakupy@inter-global.com.pl • 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation. Skin Irrit. 2 Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labelling: orange, sweet, ext. Linalool (Contd. on page 2) GB

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

(Contd. of page 1) (R)-p-mentha-1,8-diene Citral · Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. P273 IF ON SKIN: Wash with plenty of water. P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container to a waste container. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

Dangerous components:		
EINECS: 200-578-6	ethanol � Flam. Liq. 2, H225; � Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C≥50 %	<70%
EINECS: 232-433-8 Reg.nr.: 01-2119493353-35-XXXX	orange, sweet, ext. Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
	Linalool 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<5%
EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-XXXX	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226;	<5%
	Citral 🚯 Skin Irrit. 2, H315; Skin Sens. 1, H317	<2%
CAS: 84625-32-1 EINECS: 283-406-2	Dinkum oil	<2%

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

CAS: 8000-41-7	Terpineol	<2%
EINECS: 232-268-1	𝔅 Skin Irrit. 2, H315; Eye Irrit. 2, H319	- / ·
CAS: 19870-74-7	Cedrol methyl ether	<2%
		<2%
EINECS: 243-384-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Skin Sens. 1, H317	
CAS: 124-13-0	octanal	<2%
EINECS: 204-683-8	🚸 Flam. Liq. 3, H226; 🕸 Aquatic Chronic 2, H411; 🚸 Skin	
Reg.nr.: 01-2119638274-38-XXXX	Irrit. 2, H315; Éye Irrit. 2, H319	
CAS: 106-22-9	dl-Citronellol	<1%
EINECS: 203-375-0	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Reg.nr.: 01-2119453995-23-XXXX	, okan 117a. 2, 11919, Dye 117a. 2, 11917, okan Sens. 1, 11917	
CAS: 105-87-3	geranyl acetate	<1%
EINECS: 203-341-5	<u> </u>	~17
Reg.nr.: 01-2119973480-35-XXXX	0 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
•		10
CAS: 101-86-0	a-hexylcinnamaldehyde	<1%
EINECS: 202-983-3	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; 🚸 Skin	
Reg.nr.: 01-2119533092-50-XXXX		
CAS: 25013-16-5	tert-butyl-4-methoxyphenol	<1%
EINECS: 246-563-8	() Acute Tox. 4, H302	
CAS: 586-62-9	terpinolene	<1%
EINECS: 209-578-0	🔞 Flam. Liq. 3, H226; 🕹 Asp. Tox. 1, H304; 🚯 Aquatic	
	Chronic 1, H410; (1) Skin Sens. 1, H317	
CAS: 127-91-3	beta-Pinene	<1%
EINECS: 204-872-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2,	~17
Reg.nr.: 01-2119519230-54-XXXX	H315; Skin Sens. 1B, H317	
0		< 10
CAS: 110-41-8	2-methylundecanal	<1%
EINECS: 203-765-0	Aquatic Chronic 1, H410; 🚸 Skin Irrit. 2, H315; Skin Sens.	
Reg.nr.: 01-2119969443-29-XXXX		
CAS: 97-53-0	Eugenol	<1%
EINECS: 202-589-1	🚸 Acute Tox. 4, H302; Skin Sens. 1, H317	
Reg.nr.: 01-2119971802-33-XXXX		
CAS: 2705-87-5	allyl 3-cyclohexylpropionate	<1%
EINECS: 220-292-5	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Acute	
	Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin	
	Sens. 1, H317	
CAS: 78-93-3	butanone	<1%
EINECS: 201-159-0		- / /
Reg.nr.: 01-2119457290-43-XXXX		
CAS: 106-23-0	citronellal	<1%
EINECS: 203-376-6		~17
EINECS. 20 J-J /0-0	Aquatic Chronic 2, H411; 🛟 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 8008-79-5	Spearmint oil	<1%
EINECS: 283-656-2	Aquatic Chronic 2, H411; 😯 Acute Tox. 4, H302; Skin Sens.	
	<i>1, H317</i>	
CAS: 24720-09-0	(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	<1%
EINECS: 246-430-4	(2) Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 57378-68-4	delta-Damascone	<1%
EINECS: 260-709-8		~1/
EINECS. 200-/09-0	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

	(Contd.	of page 3)
CAS: 8007-46-3	Thyme oil	<0.5%
EINECS: 284-535-7	 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Sens. 1, H317 	
CAS: 104-55-2	cinnamaldehyde	<0.5%
EINECS: 203-213-9	♦ <i>Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317</i>	
CAS: 470-82-6	Eucalyptol	<0.5%
EINECS: 207-431-5	🛞 Flam. Liq. 3, H226; 🕔 Skin Sens. 1, H317	
Reg.nr.: 01-2119967772-24-XXXX		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 5)

GB

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

(Contd. of page 4)

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

64-1 7	'-5 etl	hanol	
WEL	Long	g-term value: 1920 mg/m³, 1000 ppm	
78-93	-3 bu	tanone	
WEL	Long	t-term value: 899 mg/m³, 300 ppm g-term value: 600 mg/m³, 200 ppm BMGV	
DNE	Ls		
64-17	'-5 etl	hanol	
Oral		consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Derm	al	consumer-long-term systemic effect	206 mg/kg m.c (consumers)
		workers-long-term systemic exposure	343 mg/kg m.c. (workers)
		workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhald	ative	consumer- long-term systemic effects	114 mg/m3 (consumers)
		workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)
PNE	Cs		
64-17	'-5 etl	hanol	
Oral	micro	oorganisms during wastewater treatment	580 mg/l (environment)
	soil		0.63 mg/kg (environment)
	sediment		3.6 mg/kg (environment)
	marii	ne environment	0.79 mg/l (environment)
	fresh	water environment	0.96 mg/l (environment)
			(Contd. on pag

- GB

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

Ingredients with biological limit values: 78-93-3 butanone BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7. • Individual protection measures, such as personal protective equipment • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the symmetry protective device. Use suitable respiratory protective device. Use suitable respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of que and varies from m	S	ТР	(Contd. of pag 2.75 mg/l (environment)
 78-93-3 butanone BMGV [70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the skin. Avoid contact with the skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure set of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure set of brief exposure or protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparat the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Muterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Peyeface prote			
BMGV 70 μmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the yeps and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuse self-contained respiratory protective device. Use suitable respiratory protective device. Use suitable respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of qua degradation	-	_	ues:
Medium: urine Sampling time: post shift Parameter: butan-2-one • Additional information: The lists valid during the making were used as basis. • A.2 Exposure controls • Appropriate engineering controls No further data; see item 7. • Individual protection massures, such as personal protective equipment • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the system or low pollution use respiratory filter device. In case of intensive or longer exposuses self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the ma			
Sampling time: post shift Parameter: butan-2-one	DIVIGV	•	
Parameter: butan-2-one • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7. • Individual protection measures, such as personal protective equipment • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuses self-contained respiratory protective device in case of insufficient ventilation. • Hand protection In cot material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies			
 Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protective and hygienic measures; Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer expo. use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistances of the glove material can not be calculated in advance and has therefore to be checked prior to application. Paretration time of glove material The seak through time has to be found out by the manufacturer of the protective gloves and has to beyened. Eyeface protection 			
 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuses self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Patertation time of glove material Patertat	· Additio		ilid during the making were used as basis.
 Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exponences of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exponences of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exponences of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exponences of brief exposure or low pollution use respiratory filter device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Pertration time of glove material Pertration time of glove material Pertration time of glove material Pertration time of glove material<!--</td--><td></td><td></td><td></td>			
 Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the syn. Avoid contact with the syn. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuse self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the gloves material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be abserved. Experimential 			o further data: see item 7.
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuses elf-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and vries from manufacturer to manufacturer. As the product is a preparation of several substances, resistances of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material Penetration time of glove mat			
 Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuses self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation and degradation Material of gloves The selection of the gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material Penetration time of glove material Penetration time of glove material Peyelface protection 			
Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer expon- use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparat the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection			
 Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the skin. Avoid contact with the skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exponences of the self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material Prenetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
 Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuse self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation and degradation Material of gloves The selection of the gloves material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to capplication. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection			
 Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuse self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparative device in consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposuse self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation and degradation • Material of gloves The selection of the glove material on consideration of the penetration times, rates of diffusion and degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. • Eye/face protection			
 use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Hand protection <i>Waterial protective gloves</i> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation in the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
Use suitable respiratory protective device in case of insufficient ventilation. Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparatithe chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection			
 Hand protection We protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
 Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			tevice in case of insufficient ventilation.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparative chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 	· nana p	rolection	
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparative chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 	m		
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparate the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has the observed. Eye/face protection 	111.5	Protective gloves	
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparate the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparate the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 	The alo	na matarial has to be import	noable and resistant to the product/the substance/the preparation
 the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
 Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			allon to the glove material can be given jor the product, the preparati
 degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of que and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			n consideration of the penetration times, rates of diffusion and
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection			
The selection of the suitable gloves does not only depend on the material, but also on further marks of qua and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. • Eye/face protection			
and varies from manufacturer to manufacturer. As the product is a preparation of several substances, resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. • Eye/face protection			does not only depend on the material, but also on further marks of qua
 resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			
 Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye/face protection 			not be calculated in advance and has therefore to be checked prior to
The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. • Eye/face protection			
observed. • Eye/face protection			
· Eye/face protection		-	b be found out by the manufacturer of the protective gloves and has to
Tightly sealed goggles	· Eye/fac	e protection	
Tightly sealed goggles			
		Tightly sealed goggles	
	VŬ		

(Contd. on page 7)

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

(Contd. of page 6)

0.1 Information on basis abusis al and showing a	u - n - anti n
9.1 Information on basic physical and chemical p General Information	roperties
Physical state	Fluid
Colour:	Brown
Odour:	Characteristic
Odour. Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Undetermined.
range Elammability	
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of health and	
environment, and on safety.	
Explosive properties:	Product is not explosive. However, formatio
	explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	s
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
00	
Gases under pressure	Void Uighte formable liquid and uppour
Flammable liquids Flammable solids	Highly flammable liquid and vapour.
	Void
Self-reactive substances and mixtures	Void
	Void Void Void

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

		(Contd. of page 7
Substances and mixtures, which emit fl	ammable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

64-17-5 е	thanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	e LC50/4 h	20,000 mg/l (rat)	
78-70-6 L	inalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	
5989-27-3	5 (R)-p-men	tha-1,8-diene	
Oral	LD50	4,400 mg/kg (rat)	
5392-40-3	5 Citral		
Oral	LD50	4,960 mg/kg (rat)	
124-13-0	octanal		
Oral	LD50	5,630 mg/kg (rat)	
Dermal	LD50	6,350 mg/kg (rabbit)	
106-22-9	dl-Citronel	lol	
Oral	LD50	3,450 mg/kg (rat)	
Dermal	LD50	2,650 mg/kg (rabbit)	
25013-16	-5 tert-buty	-4-methoxyphenol	
Oral	LD50	500 mg/kg (ATE)	
97-53-0 E	Eugenol		
Oral	LD50	1,930 mg/kg (rat)	

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

			Contd. of page 8
2705-87-3	5 allyl 3-cyc	lohexylpropionate	
Oral	LD50	500 mg/kg (ATE)	
Dermal	LD50	1,100 mg/kg (ATE)	
Inhalative	e LC50/4 h	11 mg/l (ATE)	
78-93-3 b	utanone		
Oral	LD50	3,300 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rabbit)	
8008-79-5	5 Spearmin	t oil	
Oral	LD50	500 mg/kg (ATE)	
24720-09	-θ (E)-1-(2,	6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	
Oral	LD50	500 mg/kg (ATE)	
57378-68	-4 delta-Da	mascone	
Oral	LD50	500 mg/kg (ATE)	
104-55-2	cinnamalde	chyde	
Oral	LD50	2,220 mg/kg (rat)	
Dermal	LD50	1,100 mg/kg (ATE)	
Serious e Respirato	ve damage/ ry or skin s	tion Causes skin irritation. irritation Causes serious eye irritation. ensitisation May cause an allergic skin reaction. other hazards	
Endocrin	e disrupting	properties	
25013-16	-5 tert-buty	l-4-methoxyphenol	List II
78-93	-3 butanon	e	List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms

(Contd. on page 10)

GB

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

(Contd. of page 9)

GB

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANO) (ETHYL ALCOHOL)), ENVIRONMENTALLY
IMDG	HAZARDOUS FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), orange, sweet, ext.), MARINI POLLUTANT
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
14.3 Transport hazard class(es)	
ADR, IMDG	
Class	3 Flammable liquids.
Label	3
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	Π
14.5 Environmental hazards:	Product contains environmentally hazardous substances orange, sweet, ext.
Marine pollutant: Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

	(Contd. of page 10
Stowage Category	В
14.7 Maritime transport in bulk accord instruments	ling to IMO Not applicable.
Transport/Additional information:	
• <i>ADR</i>	
Limited quantities (LQ)	1L
Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO)
	(ETHYL ALCOHOL)), 3, II, ENVIRONMENTALL
	HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

GB

Printing date 29.06.2021

Version number 1

Revision: 29.06.2021

Trade name: ERLA HOME SATO HOME PERFUME GOOD MORNING

(Contd. of page 11)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- *H411 Toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 4: Acute toxicity Category 4
- Skin Corr. 1A: Skin corrosion/irritation Category 1A
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- *Eye Dam. 1: Serious eye damage/eye irritation Category 1*
- *Eye Irrit. 2: Serious eye damage/eye irritation Category 2*
- Skin Sens. 1: Skin sensitisation Category 1
- Skin Sens. 1B: Skin sensitisation Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- Asp. Tox. 1: Aspiration hazard Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\cdot * Data compared to the previous version altered.

The section that were changed since the last version are marked with an asterisk on the left section number