

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** K2 DEOCAR REAL LEATHER
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Air freshener
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Melle Sp. z o. o.  
Stary Staw 9  
63-400 OSTRÓW WLKP.  
POLAND
- **Further information obtainable from:**  
Product safety department.  
zakupy@inter-global.com.pl
- **1.4 Emergency telephone number:** During normal opening times: 0048/62 737 88 00

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Flam. Liq. 2      H225 Highly flammable liquid and vapour.



Eye Irrit. 2      H319 Causes serious eye irritation.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02      GHS07

- **Signal word** Danger
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P102      Keep out of reach of children.

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 1)

- P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P264** Wash thoroughly after handling.
- P302+P352** IF ON SKIN: Wash with plenty of water.
- P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P501** Dispose of contents/container to a waste container.
- **Additional information:**  
**EUH208** Contains Linalool, linalyl acetate, 4-tert-butylcyclohexyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	<70%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	<10%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-XXXX	Linalool ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
CAS: 115-95-7 EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX	linalyl acetate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
CAS: 32210-23-4 EINECS: 250-954-9 Reg.nr.: 01-2119976286-24-XXXX	4-tert-butylcyclohexyl acetate ⚠ Skin Sens. 1, H317	<1%
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-XXXX	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
CAS: 84929-31-7 EINECS: 284-515-8 Reg.nr.: 01-2119495512-35-XXXX	lemon, ext. ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%
CAS: 8007-35-0 EINECS: 232-357-5	Terpineol, acetate ⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	<1%
CAS: 101-86-0 EINECS: 202-983-3 Reg.nr.: 01-2119533092-50-XXXX	α-hexylcinnamaldehyde ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	<0.5%
CAS: 106-24-1 EINECS: 203-377-1 Reg.nr.: 01-2119552430-49-XXXX	Geraniol ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

CAS: 5392-40-5 EINECS: 226-394-6 Reg.nr.: 01-2119462829-23-XXXX	Citral ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	(Contd. of page 2) <0.5%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-XXXX	(R)-p-mentha-1,8-diene ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

· **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### · 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

· **Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR REAL LEATHER

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · Ingredients with limit values that require monitoring at the workplace:

###### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

###### 34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m<sup>3</sup>, 50 ppm  
Sk

#### · DNELs

###### 64-17-5 ethanol

Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Dermal	consumer-long-term systemic effect	206 mg/kg m.c (consumers)
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhalative	consumer- long-term systemic effects	114 mg/m <sup>3</sup> (consumers)
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)

#### · PNECs

###### 64-17-5 ethanol

Oral	microorganisms during wastewater treatment	580 mg/l (environment)
	soil	0.63 mg/kg (environment)
	sediment	3.6 mg/kg (environment)
	marine environment	0.79 mg/l (environment)
	freshwater environment	0.96 mg/l (environment)
	STP	2.75 mg/l (environment)

· **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.

(Contd. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 4)

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Colour:</b>	Different according to colouring
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	16 °C
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

(Contd. on page 6)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 5)

**· 9.2 Other information****· Appearance:****· Form:** Liquid**· Important information on protection of health and environment, and on safety.****· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**· Solvent content:****· VOC (EC)** 92.90 %**· Change in condition****· Evaporation rate** Not determined.**· Information with regard to physical hazard classes****· Explosives** Void**· Flammable gases** Void**· Aerosols** Void**· Oxidising gases** Void**· Gases under pressure** Void**· Flammable liquids**  
Highly flammable liquid and vapour.**· Flammable solids** Void**· Self-reactive substances and mixtures** Void**· Pyrophoric liquids** Void**· Pyrophoric solids** Void**· Self-heating substances and mixtures** Void**· Substances and mixtures, which emit flammable gases in contact with water** Void**· Oxidising liquids** Void**· Oxidising solids** Void**· Organic peroxides** Void**· Corrosive to metals** Void**· Desensitised explosives** Void**SECTION 10: Stability and reactivity****· 10.1 Reactivity** No further relevant information available.**· 10.2 Chemical stability****· Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**· 10.3 Possibility of hazardous reactions** No dangerous reactions known.**· 10.4 Conditions to avoid** No further relevant information available.**· 10.5 Incompatible materials:** No further relevant information available.**· 10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****· Acute toxicity** Based on available data, the classification criteria are not met.**· LD/LC50 values relevant for classification:****64-17-5 ethanol**

Oral	LD50	7,060 mg/kg (rat)
------	------	-------------------

(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 6)

Inhalative	LC50/4 h	20,000 mg/l (rat)
<b>34590-94-8 Dipropylene glycol monomethyl ether</b>		
Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	>19,000 mg/kg (rab)
<b>78-70-6 Linalool</b>		
Oral	LD50	2,790 mg/kg (rat)
Dermal	LD50	5,610 mg/kg (rabbit)
<b>32210-23-4 4-tert-butylcyclohexyl acetate</b>		
Oral	LD50	5,000 mg/kg (rat)
<b>5392-40-5 Citral</b>		
Oral	LD50	4,960 mg/kg (rat)
<b>5989-27-5 (R)-p-mentha-1,8-diene</b>		
Oral	LD50	4,400 mg/kg (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

### · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021


Trade name: K2 DEOCAR REAL LEATHER

(Contd. of page 7)

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |   |
|---|---|
| · <b>14.1 UN number or ID number</b>  | UN1993  |
| · <b>ADR, IMDG, IATA</b>  |   |
| · <b>14.2 UN proper shipping name</b>   | 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))   |
| · <b>ADR</b>  |   |
| · <b>IMDG</b>   | FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))  |
| · <b>IATA</b>   | FLAMMABLE LIQUID, N.O.S. (ETHANOL)  |
| · <b>14.3 Transport hazard class(es)</b>  |   |
| · <b>ADR, IMDG, IATA</b>  |   |
|  |   |
| · <b>Class</b>  | 3 Flammable liquids.  |
| · <b>Label</b>  | 3   |
| · <b>14.4 Packing group</b>   | II  |
| · <b>ADR, IMDG, IATA</b>  |   |
| · <b>14.5 Environmental hazards:</b>  | Not applicable.   |
| · <b>14.6 Special precautions for user</b>  | Warning: Flammable liquids.   |
| · <b>Hazard identification number (Kemler code):</b>                                | 33  |
| · <b>EMS Number:</b>  | F-E,S-D   |
| · <b>Stowage Category</b>   | A   |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>               | Not applicable.   |
| · <b>Transport/Additional information:</b>  |   |
| · <b>ADR</b>  |   |
| · <b>Limited quantities (LQ)</b>  | 1L  |
| · <b>Excepted quantities (EQ)</b>   | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>Transport category</b>   | 2   |
| · <b>Tunnel restriction code</b>  | D/E   |

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 8)

· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, II

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **National regulations:**
  1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
  2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- **Local regulations.**
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H225 Highly flammable liquid and vapour.
  - H226 Flammable liquid and vapour.
  - H304 May be fatal if swallowed and enters airways.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - H411 Toxic to aquatic life with long lasting effects.
- **Abbreviations and acronyms:**
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association

(Contd. on page 10)

## **Safety data sheet**

### **according to 1907/2006/EC, Article 31**

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

**Trade name: K2 DEOCAR REAL LEATHER**

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Asp. Tox. 1: Aspiration hazard – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB