



Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: K2 DEOCAR FAHREN
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Air freshener
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Melle Sp. z o. o. Stary Staw 9 63-400 OSTRÓW WLKP. POLAND

· Further information obtainable from:

Product safety department. zakupy@inter-global.com.pl

• 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)ethan-1-one 4-(4-hydroxy-4-methylpentyl)cyklohex-3-enecarbaldehyde

Linalool

Methyl ionone (mixture of isomers)

lemon, ext.

(Contd. on page 2)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash thoroughly after handling.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a waste container.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture: consisting of the following components.

| Dangerous components: | | |
|---|--|------|
| CAS: 64-17-5 EINECS: 200-578-6 | ethanol Flam. Liq. 2, H225; | <70% |
| Reg.nr.: 01-2119457610-43-XXXX CAS: 115-95-7 | Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 % linalyl acetate | <3% |
| EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX | 💠 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-XXXX | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl) ethan-1-one Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. | <1% |
| CAS: 78-70-6 EINECS: 201-134-4 | 1, H317 Linalool ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | <1% |
| Reg.nr.: 01-2119474016-42-XXXX CAS: 1335-46-2 EINECS: 215-635-0 Reg.nr.: 01-2119471851-35-XXXX | Methyl ionone (mixture of isomers) Aquatic Chronic 2, H411; Skin Sens. 1, H317 | <1% |
| CAS: 31906-04-4 EINECS: 250-863-4 Reg.nr.: 01-2119489989-04-XXXX | 4-(4-hydroxy-4-methylpentyl)cyklohex-3-enecarbaldehyde Skin Sens. 1A, H317 | <1% |
| CAS: 84929-31-7 EINECS: 284-515-8 Reg.nr.: 01-2119495512-35-XXXX | lemon,ext. ♠ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317 | <1% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- GI

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- $\cdot \textit{Ingredients with limit values that require monitoring at the workplace:} \\$

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· DNELs

64-17-5 ethanol

| Oral | consumers-long-term systemic exposure | 87 mg/kg m.c. (consumers) |
|------------|---------------------------------------|----------------------------|
| Dermal | 9 , | 206 mg/kg m.c (consumers) |
| | workers-long-term systemic exposure | 343 mg/kg m.c. (workers) |
| | workers-short-term systemic exposure | 1,900 mg/kg m.c. (workers) |
| Inhalative | consumer- long-term systemic effects | 114 mg/m3 (consumers) |
| | workers-long-term exposure inhalation | 950 mg/kg/m.c. (workers) |

· PNECs

64-17-5 ethanol

| Oral | microorganisms during wastewater treatment | 580 mg/l (environment) |
|------|--|--------------------------|
| | soil | 0.63 mg/kg (environment) |
| | sediment | 3.6 mg/kg (environment) |
| | | 0.79 mg/l (environment) |
| | freshwater environment | 0.96 mg/l (environment) |
| | STP | 2.75 mg/l (environment) |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

| SECTION 9: PI | iysical and | l chemical | properties |
|---------------|-------------|------------|------------|
|---------------|-------------|------------|------------|

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. 16 °C

· Flash point:

· Auto-ignition temperature: Product is not selfigniting.

· Decomposition temperature: Not determined. Not determined. $\cdot pH$

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

·Solubility

Soluble.

Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

Density and/or relative density

Not determined. · Density: · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

Product is not explosive. However, formation of · Explosive properties:

explosive air/vapour mixtures are possible.

· Change in condition

Not determined. · Evaporation rate

Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases · Aerosols Void · Oxidising gases Void

(Contd. on page 6)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

| (0 , 1 | c | | - |
|---------|-----|------|---|
| (Contd. | OT: | nage | |

| | (conta. or page c |
|---|-------------------------------------|
| · Gases under pressure | Void |
| · Flammable liquids | Highly flammable liquid and vapour. |
| · Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable | e |
| gases in contact with water | Void |
| Oxidising liquids | Void |
| · Oxidising solids | Void |
| Organic peroxides | Void |
| · Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

| · LD/LC50 | values rele | vant for classification: |
|-----------------|-------------|--|
| 64-17-5 ethanol | | |
| Oral | LD50 | 7,060 mg/kg (rat) |
| Inhalative | LC50/4 h | 20,000 mg/l (rat) |
| 78-70-6 Li | nalool | |
| Oral | LD50 | 2,790 mg/kg (rat) |
| Dermal | LD50 | 5,610 mg/kg (rabbit) |
| . Carious av | a damaga | innitation Causas sarious and irritation |

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability The product is biodegradable. Degree of biodegradation> 70%

(Contd. on page 7)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 6)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN number or ID number ADR, IMDG, IATA | UN1993 |
|--|---|
| 14.2 UN proper shipping name | |
| ADR | 1993 FLAMMABLE LIQUID, N.O.S. (ETHANC (ETHYL ALCOHOL)) |
| IMDG | FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL)) |
| IATA | FLAMMABLE LIQUID, N.O.S. (ETHANOL) |
| 14.3 Transport hazard class(es) ADR, IMDG, IATA | |
| - ' ' | |
| ADR, IMDG, IATA Class | 3 Flammable liquids. |
| ADR, IMDG, IATA Class | 3 Flammable liquids. 3 |
| ADR, IMDG, IATA Class Label 14.4 Packing group | 3 |
| ADR, IMDG, IATA Class Label | <u> </u> |
| ADR, IMDG, IATA Class Label 14.4 Packing group | 3 |

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

| | (Contd. of page |
|--|--|
| · Hazard identification number (Kemler code): · EMS Number: | 33 F-E, <u>S-E</u> |
| · Stowage Category | В |
| · 14.7 Maritime transport in bulk according to IM | |
| instruments | Not applicable. |
| · Transport/Additional information: | |
| · ADR | |
| · Limited quantities (LQ) | IL |
| · Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| · Transport category | 2 |
| · Tunnel restriction code | D/E |
| · IMDG | |
| · Limited quantities (LQ) | IL |
| · Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO |
| - | (ETHYL ALCOHOL)), 3, II |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- 1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

- 2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 07.10.2021 Version number 4 (replaces version 3) Revision: 22.09.2021

Trade name: K2 DEOCAR FAHREN

(Contd. of page 8)

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3