

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: K2 DEOCAR BLUE OCEAN · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Air fresehener · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Melle Sp. z o. o. Stary Staw 9 63-400 OSTRÓW WLKP. POLAND • Further information obtainable from: Product safety department. zakupy@inter-global.com.pl • 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eve Irrit. 2 H319 Causes serious eye irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements Keep out of reach of children. P102 (Contd. on page 2) GB

 Printing date 07.10.2021
 Version number 2 (replaces version 1)
 Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

(Contd. of page 1)

GB

	(Contal. of page 1)
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P264	Wash thoroughly after handling.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P501	Dispose of contents/container to a waste container.
· Additional inform	ation:
EUH208 Contains	(R)-p-mentha-1,8-diene, Linalool, α -hexylcinnamaldehyde, linalyl acetate. May produce
an allerg	ic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol Flam. Liq. 2, H225; $$ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: $C \ge 50 \%$	<70%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	<3%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-XXXX	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-XXXX	Linalool 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
CAS: 101-86-0 EINECS: 202-983-3 Reg.nr.: 01-2119533092-50-XXXX	a-hexylcinnamaldehyde Aquatic Acute 1, H400; Aquatic Chronic 2, H411; \$Skin Sens. 1, H317	<0.5%
CAS: 115-95-7 EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX	linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<0.5%
CAS: 80-54-6 EINECS: 201-289-8 Reg.nr.: 01-2119485965-18-XXXX	 p-t-Butyl-alpha-methylhydrocinnamic aldehyde Repr. 2, H361; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 	<0.5%
CAS: 106-02-5 EINECS: 203-354-6	omega-Pentadecalactone	<0.5%
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-XXXX	<i>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetrametyl-2-naphthyl)</i> <i>ethan-1-one</i>	<0.5%
CAS: 127-91-3 EINECS: 204-872-5 Reg.nr.: 01-2119519230-54-XXXX	beta-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317	<0.5%

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

		of page 2)
CAS: 1205-17-0	alpha-methyl-1,3-benzodioxole-5-propionaldehyde	<0.5%
EINECS: 214-881-6	𝔅 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 5392-40-5	Citral	<0.5%
EINECS: 226-394-6	𝗘 Skin Irrit. 2, H315; Skin Sens. 1, H317	
Reg.nr.: 01-2119462829-23-XXXX		
CAS: 32388-55-9	[3R-(3α,3aβ,7β,8aα)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8- tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	<0.5%
EINECS: 251-020-3	tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	
Reg.nr.: 01-2119969651-28-XXXX	𝔅 Skin Sens. 1, H317; Aquatic Chronic 3, H412	

· SVHC

80-54-6 *p-t-Butyl-alpha-methylhydrocinnamic aldehyde*

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 4)

GB

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

(Contd. of page 3)

Trade name: K2 DEOCAR BLUE OCEAN

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

· DNELs

· DNELS		
64-17-5	5 ethanol	
Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Dermal	consumer-long-term systemic effect	206 mg/kg m.c (consumers)
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhalati	ive consumer- long-term systemic effects	114 mg/m3 (consumers)
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)
· PNECs		
64-17-5	5 ethanol	
Oral m	icroorganisms during wastewater treatment	580 mg/l (environment)
so	pil	0.63 mg/kg (environment)
se	ediment	3.6 mg/kg (environment)
m	arine environment	0.79 mg/l (environment)
fre	reshwater environment	0.96 mg/l (environment)
ST	TP	2.75 mg/l (environment)

• Additional information: The lists valid during the making were used as basis.

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

(Contd. of page 4)

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p • General Information	<i>ioperues</i>	
· Physical state	Fluid	
· Colour:	Different according to colouring	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	Undetermined.	
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	16 °C	
• Auto-ignition temperature:	Product is not selfigniting.	
· Decomposition temperature:	Not determined.	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility		
· water:	Fully miscible.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
	(Contd. on	p

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

	(Contd. of page
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of heal environment, and on safety.	1
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
Change in condition	explosive un/vapour mixtures are possible.
Evaporation rate	Not determined.
Evaporation rate	Noi determined.
Information with regard to physical hazard of	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

GB

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

(Contd. of page 6)

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 et	hanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
34590-94-	8 Dipropyl	ene glycol monomethyl ether	
Oral	LD50	5,135 mg/kg (rat)	
Dermal	LD50	>19,000 mg/kg (rab)	
5989-27-5	(R)-p-men	ntha-1,8-diene	
Oral	LD50	4,400 mg/kg (rat)	
78-70-6 Li	nalool	·	
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	
80-54-6 p-	t-Butyl-alp	bha-methylhydrocinnamic aldehyde	
Oral	Oral LD50 500 mg/kg (ATE)		
5392-40-5	Citral	·	
Oral	<i>Oral LD50 4,960 mg/kg (rat)</i>		
		irritation Causes serious eye irritation. other hazards	
• Endocrine	disrupting	g properties	
80-54-	6 p-t-Buty	l-alpha-methylhydrocinnamic aldehyde	List II
32388-55-	32388-55-9 $[3R-(3\alpha, 3\alpha\beta, 7\beta, 8\alpha\alpha)] - 1 - (2, 3, 4, 7, 8, 8\alpha - hexahydro - 3, 6, 8, 8 - tetramethyl - 1H - 3\alpha, 7 - List methanoazulen - 5-yl)ethan - 1 - one$		List II

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is biodegradable. Degree of biodegradation> 70%
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- \cdot Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

⁻ GB

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

Harmful to aquatic organisms

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANO (ETHYL ALCOHOL))
IMDG	(ETTTL ALCONOL)) FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	B
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 500 ml 2

(Contd. of page 7)

Printing date 07.10.2021

Version number 2 (replaces version 1)

Revision: 07.10.2021

Trade name: K2 DEOCAR BLUE OCEAN

	(Contd. of page
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO. (ETHYL ALCOHOL)), 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57
- 80-54-6 *p-t-Butyl-alpha-methylhydrocinnamic aldehyde*
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 10)

GB

Printing date 07.10.2021 Version number 2 (replaces version 1) Revision: 07.10.2021 Trade name: K2 DEOCAR BLUE OCEAN (Contd. of page 9) H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 GR