

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31 and 2020/878/EC

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: K2 CAYON VANILLA · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Air freshener · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Melle Sp. z o. o. Stary Staw 9 63-400 OSTRÓW WLKP. POLAND • Further information obtainable from: Product safety department. zakupy@inter-global.com.pl • 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. · Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash hands thoroughly after handling. (Contd. on page 2) IE

List II

# Safety data sheet according to 1907/2006/EC, Article 31 and 2020/878/EC

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023 Trade name: K2 CAYON VANILLA (Contd. of page 1) P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *P403+P235* Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to a waste container. • Additional information: EUH208 Contains orange, sweet, ext. Linalool. May produce an allergic reaction. · 2.3 Other hazards · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Determination of endocrine-disrupting properties

1222-05-5 Abbalide

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous compone	ents:	
CAS: 64-17-5	ethanol	<70%
EINECS: 200-578-6	Flam. Liq. 2, H225;	_
CAS: 8028-48-6	orange, sweet, ext.	<1%
EINECS: 232-433-8	<ul> <li>Flam. Liq. 3, H226;</li> <li>Asp. Tox. 1, H304;</li> <li>Aquatic Chronic 2, H411;</li> <li>Skin Irrit. 2, H315; Skin Sens. 1, H317</li> </ul>	_
CAS: 1222-05-5	Abbalide	<1%
EINECS: 214-946-9	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	-
CAS: 78-70-6	Linalool	<1%
EINECS: 201-134-4	𝔅 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	-
CAS: 67-63-0	propan-2-ol	<1%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	-
CAS: 78-93-3	butanone	<1%
EINECS: 201-159-0	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	·

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

(Contd. of page 2)

Trade name: K2 CAYON VANILLA

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information Cool endangered receptacles with water spray.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles: Store in a cool location.*
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

*Printing date 03.04.2023* 

Version number 1

Revision: 03.04.2023

Trade name: K2 CAYON VANILLA

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

	oniroi parameters	
· Ingre	edients with limit values that require monitori	ng at the workplace:
<b>64-1</b> 2	7-5 ethanol	
OEL	Short-term value: 1000 ppm	
· DNE	Ls	
<b>64-1</b> 2	7-5 ethanol	
Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)
Derm	nal consumer-long-term systemic effect	206 mg/kg m.c (consumers)
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)
Inhal	lative consumer- long-term systemic effects	114 mg/m3 (consumers)
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)
· PNE	Cs	
<b>64-1</b> 2	7-5 ethanol	
Oral	microorganisms during wastewater treatment	580 mg/l (environment)
	soil	0.63 mg/kg (environment)
	sediment	3.6 mg/kg (environment)
	marine environment	0.79 mg/l (environment)
	freshwater environment	0.96 mg/l (environment)
	STP	2.75 mg/l (environment)
	1	

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

IE

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

Trade name: K2 CAYON VANILLA

(Contd. of page 4)

· Eye/face protection



\*

Tightly sealed goggles

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Highly flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	<23 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
I orm. Important information on protection of health an	-
environment, and on safety.	-
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
zaprostre properties.	explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
-	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

Trade name: K2 CAYON VANILLA

		(Contd. of page 5
Gases under pressure	Void	
· Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable	2	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11:** Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

64-17-5 ethanol		
		7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
78-70-6 Linalool		
Oral	LD50	2,790 mg/kg (rat)
Dermal	LD50	5,610 mg/kg (rabbit)
Skin corrosion/irritation Based on available data, the classification criteria are not met.		

· Serious eye damage/irritation Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

 $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$ 

 $\cdot \textit{STOT-repeated exposure} \textit{ Based on available data, the classification criteria are not met.}$ 

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

IE

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

(Contd. of page 6)

List II

Trade name: K2 CAYON VANILLA

· 11.2 Information on other hazards

• Endocrine disrupting properties

1222-05-5 Abbalide

## **SECTION 12: Ecological information**

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

14.1 UN number or ID number	UN1993
ADR, IMDG, IATA	UN1995
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANO
	(ETHYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY
	ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)

 Printing date 03.04.2023
 Version number 1
 Revision: 03.04.2023

 Trade name: K2 CAYON VANILLA
 Version number 1
 Revision: 03.04.2023

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
8	
Class	2 Elammable liquide
Label	3 Flammable liquids. 3
	5
14.4 Packing group	11
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 500 ml 2
Tunnel restriction code	D/E
IMDG Limited quantities (LQ)	11.
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO
0	(ETHYL ALCOHOL)), 3, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)

IE -

*Printing date 03.04.2023* 

Version number 1

Revision: 03.04.2023

(Contd. of page 8)

Trade name: K2 CAYON VANILLA

#### · REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- *H411 Toxic to aquatic life with long lasting effects.*

EUH066 Repeated exposure may cause skin dryness or cracking.

#### · Classification according to Regulation (EC) No 1272/2008

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.* 

• Date of previous version: 03.04.2023

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 10)

Printing date 03.04.2023

Version number 1

Revision: 03.04.2023

Trade name: K2 CAYON VANILLA

(Contd. of page 9) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 \* Data compared to the previous version altered. The section that were changed since the last version are marked with an asterisk on the left section number