



Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: K2 VENTO LEATHER
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- No juriner relevant information available.
- · Application of the substance / the mixture Air freshener
- \cdot 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Melle Sp. z o. o.

Stary Staw 9

63-400 OSTRÓW WLKP.

POLAND

· Further information obtainable from:

Product safety department. zakupy@inter-global.com.pl

· 1.4 Emergency telephone number: During normal opening times: 0048/62 737 88 00

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

2 GHS0

- · Signal word Warning
- Hazard-determining components of labelling:

4-tert-butylcyclohexyl acetate linalyl acetate α-hexylcinnamaldehyde orange, sweet, ext.

(Contd. on page 2)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 1)

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a waste container.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

CAS: 64-17-5	ethanol	<25%
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	Flam. Liq. 2, H225; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
CAS: 8000-41-7 EINECS: 232-268-1	Terpineol Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%
CAS: 32210-23-4 EINECS: 250-954-9 Reg.nr.: 01-2119976286-24-XXXX	4-tert-butylcyclohexyl acetate Skin Sens. 1, H317	<5%
CAS: 140-11-4 EINECS: 205-399-7 Reg.nr.: 01-2119638272-42-XXXX	benzyl acetate Aquatic Chronic 3, H412	<3%
CAS: 101-86-0 EINECS: 202-983-3 Reg.nr.: 01-2119533092-50-XXXX	α-hexylcinnamaldehyde Δquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Skin Sens. 1, H317	<3%
CAS: 115-95-7 EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX	linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<3%
CAS: 127-51-5 EINECS: 204-846-3 Reg.nr.: 01-2120138569-45-XXXX	3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<3%
CAS: 87-20-7 EINECS: 201-730-4	Isoamyl salicylate Aquatic Chronic 2, H411	<2%
CAS: 8028-48-6 EINECS: 232-433-8 Reg.nr.: 01-2119493353-35-XXXX	orange, sweet, ext. Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<2%

(Contd. on page 3)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

CAS: 91-64-5	Contd.	<2%
EINECS: 202-086-7 Reg.nr.: 01-2119949300-45-XXXX	♦ STOT RE 2, H373; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 106-24-1 EINECS: 203-377-1 Reg.nr.: 01-2119552430-49-XXXX	Geraniol	<2%
CAS: 84625-32-1 EINECS: 283-406-2	Dinkum oil Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Nskin Sens. 1, H317	<1%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-XXXX	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<0.5%
CAS: 97-53-0 EINECS: 202-589-1 Reg.nr.: 01-2119971802-33-XXXX	Eugenol ••• Acute Tox. 4, H302; Skin Sens. 1, H317	<0.5%
CAS: 1506-02-1 EINECS: 216-133-4	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) Substance identified as having endocrine disrupting properties (II)	<0.5%
CAS: 84238-29-9 EINECS: 282-490-8	Vetiver oil ♦♦ Skin Sens. 1, H317	<0.5%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

 \cdot After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 3)

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:
64-17-5 ethanol
WEL Long-term value: 1920 mg/m³, 1000 ppm
· DNELs
64-17-5 ethanol

64-17-5 ethanol			
Oral	consumers-long-term systemic exposure	87 mg/kg m.c. (consumers)	
Dermal	consumer-long-term systemic effect	206 mg/kg m.c (consumers)	
	workers-long-term systemic exposure	343 mg/kg m.c. (workers)	
	workers-short-term systemic exposure	1,900 mg/kg m.c. (workers)	
Inhalative	consumer- long-term systemic effects	114 mg/m3 (consumers)	
	workers-long-term exposure inhalation	950 mg/kg/m.c. (workers)	

(Contd. on page 5)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

		(Contd. of page
PNE	Cs	
64-17	7-5 ethanol	
Oral	microorganisms during wastewater treatment	580 mg/l (environment)
	soil	0.63 mg/kg (environment)
	sediment	3.6 mg/kg (environment)
	marine environment	0.79 mg/l (environment)
	freshwater environment	0.96 mg/l (environment)
	STP	2.75 mg/l (environment)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- Physical stateColour:FluidYellow tint

(Contd. on page 6)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

	(Contd. of page
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Form: Important information on protection of health an	Liquid d
important information on protection of neatth an environment, and on safety.	a
Explosive properties:	Product is not explosive. However, formation
Explosive properties.	explosive air/vapour mixtures are possible.
Change in condition	explosive an vapour mixtures are possible.
Evaporation rate	Not determined.
*	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	17 - 1
gases in contact with water	Void
I hardrain a ligarida	Void
Oxidising liquids	
Oxidising solids	Void
	Void Void Void

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 6)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

LD/LC50 values relevant for classification:			
ATE (Acute Toxicity Estimates)			
Oral	LD50	20,929 mg/kg	
64-17-5 et	64-17-5 ethanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
32210-23-	32210-23-4 4-tert-butylcyclohexyl acetate		
Oral	LD50	5,000 mg/kg (rat)	
140-11-4 benzyl acetate			
Oral	LD50	2,490 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
91-64-5 Coumarin			
Oral	LD50	293 mg/kg (rat)	
78-70-6 Li	inalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	<i>LD50</i>	5,610 mg/kg (rabbit)	
97-53-0 E	ugenol	•	
Oral	LD50	1,930 mg/kg (rat)	
Skin corre	sion/irrita	tion Causes skin irritation.	

- **Skin corrosion/irritation** Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

List II

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 7)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
· ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANC
	(ETHYL ALCOHOL))
· IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH)
	ALCOHOL), 4-tert-butylcyclohexyl acetate), MARIN
	POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)

ADR, IATA



· Class 3 Flammable liquids.

(Contd. on page 9)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

	(Contd. of page
Label	3
IMDG	
Class Label	3 Flammable liquids.
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Product contains environmentally hazardous substances α-hexylcinnamaldehyde Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANG (ETHYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- 1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,
- Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending (Contd. on page 10)

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 9)

Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

- 2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 11)

Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.05.2021 Version number 3 (replaces version 2) Revision: 10.05.2021

Trade name: K2 VENTO LEATHER

(Contd. of page 10)

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · * Data compared to the previous version altered.

The section that were changed since the last version are marked with an asterisk on the left section number